

Link do produktu: <https://www.greenbike.pl/rower-fitness-specialized-sirrus-v-brake-women-2018-p-2793.html>

## Rower fitness Specialized Sirrus V-brake Women 2018



Cena	<b>1 755,00 zł</b>
Cena poprzednia	<del>1 999,00 zł</del>
Dostępność	<b>Sprawdź dostępność - zadzwoń 616-660-333</b>
Czas wysyłki	<b>48 godzin</b>
Producent	<b>Specialized</b>

### Opis produktu

**% PROMOCJA**  
DOSTAWA ROWERU W 100% GOTOWEGO DO JAZDY

**0 zł** OSZCZĘDZASZ **299 zł**

Dbanie o kondycję jest trudne samo w sobie, po co więc dokładać do tego jeszcze ból związany z drenażem kieszeni? Na szczęście jest damski Sirrus - idealny partner treningowy, dzięki któremu utrzymasz się w formie bez konieczności odejmowania sobie od ust.

Rower wykonany jest z lekkiego, mocnego i wytrzymałego aluminium A1 SL Premium, posiada niezawodny osprzęt, który zniesie tysiące kilometrów ostrej jazdy, bezproblemowe hamulce V-brake oraz punkty kontaktu Body Geometry, gwarantujące wygodę w długiej trasie.

Nie ma na co czekać - wsiadaj i ruszaj w drogę.

- We współpracy z zespołem Body Geometry zaprojektowaliśmy ramę w optymalny sposób łączącą wygodę z efektywnością. Dzięki rurom ze stopu aluminium A1 Premium rama jest wytrzymała, a uchwyty na bagażnik, błotniki i tarcze hamulca umożliwiają jej wszechstronne wykorzystanie.
- Stalowy widelec z prostymi goleniami zapewnia reaktywność, a uchwyty na błotniki i bagażnik pozwalają szybko przystosować rower do jazdy w deszczu i przewiezienia zakupów.
- Hamulce V-brake to niezawodność i prosta konserwacja, stabilna siła hamowania i efektywność bez zmartwień o odpowietrzanie.

### Specyfikacja:

Łańcuch	KMC X8, 7-speed w/ Missing Link™
Manetki	Shimano EF510, EZ-Fire Plus
Suport	BSA, 68mm, square taper
Przednia przerzutka	Shimano Tourney, top swing, 31.8mm clamp
Tylna przerzutka	Shimano Tourney TX, 7-speed
Wieżce	48/38/28T, steel
Kaseta	Shimano HG200, 7-speed, 12-32t
Mechanizm korbowy	Shimano Tourney, 3-piece
Zacisk sztycy	Bolt type, alloy, 31.8mm
Rama	Specialized A1 Premium Aluminum, Women's Fitness Geometry, fully-manipulated butted tubing, external
Widelec	Steel, v-brake, 1-1/8" steerer, QR, rack & fender mounts
Dętki	Schrader
Tylna opona	Specialized Nimbus, 26 TPI, Flak Jacket protection, 700x32mm
Szprychy	Stainless, 14g
Przednia piasta	Alloy, loose ball bearing, QR, 32h
Przednia opona	Specialized Nimbus, 26TPI, Flak Jacket protection, 700x32mm
Obieżce	700C rim brake, double wall
Tylna piasta	Alloy, 7-speed freehub, loose ball bearings, bolt type, 32h
Kierownica	Double butted alloy, 5-degree backsweep, 25.4mm
Owijka	Specialized Body Geometry Women's XCT, lock-on
Siodło	Specialized Aldia Sport, steel rails, 155mm
Sztyca	Alloy, 12mm offset, 2-bolt clamp, 27.2mm
Mostek	20-degree, 25.4mm clamp
Pedały	Specialized Body Geometry Fitness, platform, plastic
Przedni hamulec	V-brake, linear pull
Tylny hamulec	V-brake, linear pull

	XS	S	M	L	XL
Crank Length	165MM	165MM	170MM	170MM	170MM

---

Stem Length	70mm	70mm	80mm	100mm	100mm
Seatpost Length	300mm	300mm	350mm	350mm	350mm
Saddle Width	155mm	155mm	155mm	155mm	155mm
Handlebar Width	580mm	580mm	600mm	600mm	620mm
Reach	372mm	373mm	383mm	393mm	393mm
Top Tube Length, Horizontal	531mm	537mm	555mm	573mm	578mm
Stack	536mm	555mm	580mm	608mm	624mm
Wheelbase	1035mm	1038mm	1047mm	1067mm	1066mm
Chainstay Length	440mm	440mm	440mm	440mm	440mm
Front Center	605mm	608mm	617mm	636mm	636mm
BB Drop	70mm	70mm	70mm	70mm	70mm
BB Height	275mm	275mm	275mm	275mm	275mm
Seat Tube Angle	73.5°	73.5°	73.5°	73.5°	73.5°
Head Tube Angle	69.5°	70°	71°	71°	71.5°
Seat Tube Length	360mm	395mm	440mm	470mm	510mm
Head Tube Length	106mm	124mm	146mm	176mm	190mm
Bike Standover Height	690mm	715mm	745mm	775mm	805mm
Fork Rake/Offset	51mm	51mm	51mm	51mm	51mm
Fork Length, Full	410mm	410mm	410mm	410mm	410mm
Trail	75mm	71mm	65mm	65mm	62mm

### Produkt posiada dodatkowe opcje:

**Rodzaj:** Damska

**Rozmiar kół:** 28"/700C

**Wybierz rozmiar:** L

**Wybierz kolor:** Biały