

Link do produktu: <https://www.greenbike.pl/rower-gorski-cannondale-scalpel-29-hi-mod-1-2021-p-6977.html>

Rower górski Cannondale Scalpel 29 Hi-Mod 1 2021



Cena	38 990,00 zł
Dostępność	Sprawdź dostępność - zadzwoń 616-660-333
Kod producenta	00077158
Producent	Cannondale

Opis produktu

Rower górski Cannondale Scalpel 29 Hi-Mod 1 2021

[ZAPYTAJ o przewidywaną datę dostępności wybranego rozmiaru i koloru - KLIKNIJ TUTAJ](#)



PROMOCJA
DOSTAWA ROWERU W 100% GOTOWEGO DO JAZDY

0 zł OSZCZĘDZASZ **299 zł**


Poniżej znajdziesz geometrię oraz tabelę rozmiarów ram.

Specyfikacja techniczna roweru górskiego Cannondale Scalpel 29 Hi-Mod 1 2021

Kolor	Team Replica Carbon w/ Cannondale Green (REP)
Rozmiar Rama	SM, MD, LG, XL All-New, 100mm travel, BallisTec Hi-Mod Carbon, Proportional Response Tuned, FlexPivot Chainstay, PF30-83, Tapered Headtube, Speed Release 12mm thru axle, Ai Offset, Stash compatible
Widelec	Lefty Ocho Carbon, 100mm, Chamber Damper with remote lockout, OppO Spring System, tapered steerer, 55mm offset
Amortyzator tylny	Fox Float DPS Factory EVOL, 100mm, remote lockout, adjustable rebound
Korba	HollowGram, BB30a, OPI SpideRing, 34T, Ai offset
Wkład suportu	Cannondale Alloy PressFit30
Przerzutka tylna	Shimano XTR, Shadow Plus
Kaseta	Shimano XT, 10-51, 12-speed
Łańcuch	Shimano XT, 12-speed
Manetki	Shimano XTR, 12-speed
Hamulce	XTR hydraulic disc, 160/160mm Ice Tech rotors
Dźwignie hamulcowe	Shimano XTR hydraulic disc
Obręcze	HollowGram 25, Superlight Hi-Impact Carbon, 28h, 25mm IW, tubeless ready

Piasty	(F) Lefty 60 (R) DT Swiss, 12x148
Szprychy	HollowGram 2.0/1.8/2.0
Opony	(F) Schwalbe Racing Ralph, 29 x 2.25", Snake Skin, Addix Speed Compound, tubeless ready, (R) Schwalbe Racing Ralph, 29 x 2.25", Snake Skin, Addix Speed Compound, tubeless ready
Kierownica	Cannondale 1 Flat, Carbon, 31.8mm, 9° back, 760mm
Mostek	Cannondale 1, 7075 Alloy, 1-1/8", 31.8, 7°
Stery	Integrated, 1-1/8 to 1.5", sealed angular contact bearings
Siodło	Prologo Dimension NDR, Tirox rails
Sztyca	ENVE Carbon, 31.6 x 400mm, 0mm offset
Łączność	Cannondale Wheel Sensor
Extra	Stash Kit (Fabric 8 in 1 Mini Tool and Dynaplug tubeless puncture repair tool)
*	Specyfikacje i ceny mogą ulec zmianie bez podania przyczyny. Produkty mogą różnić się od przedstawionych na zdjęciach.

Geometria



Scalpel Carbon

	S	M	L	XL
A Seat Tube Length (cm)	43	44	48	52
B Top Tube Horizontal (cm)	57.6	59.9	62.2	64.4
C Top Tube Actual (cm)	53.1	55.3	57.7	60.3
D Head Tube Angle	68°	68°	68°	68°
E Seat Tube Angle	N/A	N/A	N/A	N/A
E ¹ Seat Tube Angle Effective	74.5°	74.5°	74.5°	74.5°
F Standover (cm)	74.3	74.5	74.5	74.8
G Head Tube Length (cm)	9.5	10.5	11.5	12.5
H Wheelbase (cm)	112.8	115.1	117.5	119.9
I Front Center (cm)	69.5	71.8	74.2	76.6
J Chain Stay Length (cm)	43.6	43.6	43.6	43.6
K Bottom Bracket Drop (cm)	4	4	4	4
L Bottom Bracket Height (cm)	33.1	33.1	33.1	33.1
M Fork Rake (cm)	5.5	5.5	5.5	5.5
N Trail (cm)	9	9	9	9
O Stack (cm)	58.2	59.1	60.1	61
P Reach (cm)	41.5	43.5	45.5	47.5

MD (29") 167 | 175

LG (29") 172 | 182

XL (29") 188 | 195

Produkt posiada dodatkowe opcje:

Materiał ramy:: Karbon

Rozmiar kół:: 29"

Wybierz rozmiar:: M

Amortyzacja:: Pełna amortyzacja